


Select Variables	Area in Miles Diameter from Site Center					Comparison Areas		
	0.125	0.25	0.5	0.75	1.0	State	Region	U.S.
Environmental Indicators								
Particulate Matter	5.81	5.84	5.84	5.84	5.84	9.78	9.21	8.3
Ozone	32	32.1	32.1	32.1	32.1	48.2	48.9	43
Diesel PM	0.221	0.221	0.222	0.223	0.223	0.468	0.479	0.479
Cancer Risk	29	29	30	30	30	36	35	32
Respiratory Hazard	0.47	0.47	0.47	0.47	0.47	0.55	0.53	0.44
Traffic Proximity	1800	1500	1300	1400	1500	2000	1700	750
Lead Paint Indicator	0.23	0.26	0.24	0.2	0.22	0.29	0.24	0.28
Superfund Proximity	0.11	0.11	0.11	0.11	0.11	0.18	0.15	0.13
RMP Proximity	0.2	0.2	0.2	0.2	0.19	1.1	0.99	0.74
Hazardous Waste	0.21	0.21	0.22	0.22	0.24	3.4	2.9	4
Wastewater Discharge	0	0	0	0	0	17	31	14
Demographic Indicators - %								
Demographic Index	12	27	33	33	35	48%	47%	36%
Minority Population	12	30	38	38	39	62%	59%	39%
Low Income Pop	12	25	29	28	31	34%	34%	33%
Linguistically Isolated	3	6	8	7	6	9%	8%	4%
< H.S. Education	5	11	13	13	13	18%	17%	13%
Population Under 5	6	5	5	6	5	6%	6%	6%
Population Over 64	18	15	14	14	14	13%	14%	15%

0.5 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 7,240

Input Area (sq. miles): 0.79

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	31	34	57
EJ Index for Ozone	31	34	56
EJ Index for NATA* Diesel PM	30	32	56
EJ Index for NATA* Air Toxics Cancer Risk	30	33	56
EJ Index for NATA* Respiratory Hazard Index	30	33	55
EJ Index for Traffic Proximity and Volume	18	17	21
EJ Index for Lead Paint Indicator	18	16	41
EJ Index for Superfund Proximity	27	28	49
EJ Index for RMP Proximity	30	32	54
EJ Index for Hazardous Waste Proximity	30	32	53
EJ Index for Wastewater Discharge Indicator	N/A	68	74




This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

0.5 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 7,240

Input Area (sq. miles): 0.79



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

EJSCREEN Report (Version 2019)

0.5 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 7,240

Input Area (sq. miles): 0.79

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu\text{g}/\text{m}^3$)	5.84	9.78	3	9.21	6	8.3	5
Ozone (ppb)	32.1	48.2	9	48.9	7	43	5
NATA* Diesel PM ($\mu\text{g}/\text{m}^3$)	0.222	0.468	17	0.479	<50th	0.479	<50th
NATA* Cancer Risk (lifetime risk per million)	30	36	23	35	<50th	32	<50th
NATA* Respiratory Hazard Index	0.47	0.55	30	0.53	<50th	0.44	60-70th
Traffic Proximity and Volume (daily traffic count/distance to road)	1300	2000	57	1700	64	750	85
Lead Paint Indicator (% Pre-1960 Housing)	0.24	0.29	52	0.24	60	0.28	56
Superfund Proximity (site count/km distance)	0.11	0.18	60	0.15	66	0.13	69
RMP Proximity (facility count/km distance)	0.2	1.1	23	0.99	29	0.74	38
Hazardous Waste Proximity (facility count/km distance)	0.22	3.4	17	2.9	22	4	37
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0	17	N/A	31	54	14	37
Demographic Indicators							
Demographic Index	33%	48%	28	47%	31	36%	54
Minority Population	38%	62%	22	59%	26	39%	57
Low Income Population	29%	34%	47	34%	47	33%	48
Linguistically Isolated Population	8%	9%	54	8%	59	4%	79
Population With Less Than High School Education	13%	18%	50	17%	53	13%	63
Population Under 5 years of age	5%	6%	40	6%	41	6%	44
Population over 64 years of age	14%	13%	62	14%	61	15%	52

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: <https://www.epa.gov/national-air-toxics-assessment>.

For additional information, see: www.epa.gov/environmentaljustice


EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

0.25 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 1,544

Input Area (sq. miles): 0.20

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	27	29	51
EJ Index for Ozone	26	30	51
EJ Index for NATA* Diesel PM	25	27	49
EJ Index for NATA* Air Toxics Cancer Risk	25	27	48
EJ Index for NATA* Respiratory Hazard Index	24	26	45
EJ Index for Traffic Proximity and Volume	11	9	9
EJ Index for Lead Paint Indicator	12	9	30
EJ Index for Superfund Proximity	16	17	33
EJ Index for RMP Proximity	25	25	45
EJ Index for Hazardous Waste Proximity	27	28	44
EJ Index for Wastewater Discharge Indicator	N/A	68	74




This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

0.25 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 1,544

Input Area (sq. miles): 0.20



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

EJSCREEN Report (Version 2019)



0.25 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 1,544

Input Area (sq. miles): 0.20

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu\text{g}/\text{m}^3$)	5.84	9.78	3	9.21	6	8.3	5
Ozone (ppb)	32.1	48.2	9	48.9	7	43	5
NATA* Diesel PM ($\mu\text{g}/\text{m}^3$)	0.221	0.468	17	0.479	<50th	0.479	<50th
NATA* Cancer Risk (lifetime risk per million)	29	36	23	35	<50th	32	<50th
NATA* Respiratory Hazard Index	0.47	0.55	30	0.53	<50th	0.44	60-70th
Traffic Proximity and Volume (daily traffic count/distance to road)	1500	2000	62	1700	68	750	87
Lead Paint Indicator (% Pre-1960 Housing)	0.26	0.29	55	0.24	62	0.28	58
Superfund Proximity (site count/km distance)	0.11	0.18	60	0.15	66	0.13	69
RMP Proximity (facility count/km distance)	0.2	1.1	23	0.99	29	0.74	38
Hazardous Waste Proximity (facility count/km distance)	0.21	3.4	16	2.9	22	4	36
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0	17	N/A	31	54	14	37
Demographic Indicators							
Demographic Index	27%	48%	19	47%	21	36%	45
Minority Population	30%	62%	15	59%	18	39%	49
Low Income Population	25%	34%	40	34%	40	33%	41
Linguistically Isolated Population	6%	9%	45	8%	51	4%	74
Population With Less Than High School Education	11%	18%	44	17%	47	13%	56
Population Under 5 years of age	5%	6%	41	6%	41	6%	45
Population over 64 years of age	15%	13%	68	14%	66	15%	58

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: <https://www.epa.gov/national-air-toxics-assessment>.

For additional information, see: www.epa.gov/environmentaljustice


EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

0.75 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 12,422

Input Area (sq. miles): 1.77

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	31	34	57
EJ Index for Ozone	31	34	57
EJ Index for NATA* Diesel PM	30	32	56
EJ Index for NATA* Air Toxics Cancer Risk	30	33	56
EJ Index for NATA* Respiratory Hazard Index	30	33	55
EJ Index for Traffic Proximity and Volume	18	17	21
EJ Index for Lead Paint Indicator	20	17	43
EJ Index for Superfund Proximity	28	28	49
EJ Index for RMP Proximity	30	32	55
EJ Index for Hazardous Waste Proximity	31	32	54
EJ Index for Wastewater Discharge Indicator	N/A	68	74




This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

0.75 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 12,422

Input Area (sq. miles): 1.77



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

EJSCREEN Report (Version 2019)



0.75 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 12,422

Input Area (sq. miles): 1.77

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu\text{g}/\text{m}^3$)	5.84	9.78	3	9.21	6	8.3	5
Ozone (ppb)	32.1	48.2	9	48.9	7	43	5
NATA* Diesel PM ($\mu\text{g}/\text{m}^3$)	0.223	0.468	18	0.479	<50th	0.479	<50th
NATA* Cancer Risk (lifetime risk per million)	30	36	23	35	<50th	32	<50th
NATA* Respiratory Hazard Index	0.47	0.55	30	0.53	<50th	0.44	60-70th
Traffic Proximity and Volume (daily traffic count/distance to road)	1400	2000	59	1700	66	750	86
Lead Paint Indicator (% Pre-1960 Housing)	0.2	0.29	49	0.24	57	0.28	52
Superfund Proximity (site count/km distance)	0.11	0.18	60	0.15	65	0.13	69
RMP Proximity (facility count/km distance)	0.2	1.1	22	0.99	28	0.74	37
Hazardous Waste Proximity (facility count/km distance)	0.22	3.4	17	2.9	23	4	38
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0	17	N/A	31	54	14	37
Demographic Indicators							
Demographic Index	33%	48%	28	47%	31	36%	54
Minority Population	38%	62%	22	59%	26	39%	57
Low Income Population	28%	34%	47	34%	47	33%	48
Linguistically Isolated Population	7%	9%	52	8%	57	4%	78
Population With Less Than High School Education	13%	18%	49	17%	52	13%	63
Population Under 5 years of age	6%	6%	48	6%	48	6%	51
Population over 64 years of age	14%	13%	62	14%	61	15%	51

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: <https://www.epa.gov/national-air-toxics-assessment>.

For additional information, see: www.epa.gov/environmentaljustice


EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

0.125 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 308

Input Area (sq. miles): 0.05

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	22	24	45
EJ Index for Ozone	21	24	44
EJ Index for NATA* Diesel PM	20	22	42
EJ Index for NATA* Air Toxics Cancer Risk	18	20	37
EJ Index for NATA* Respiratory Hazard Index	18	19	33
EJ Index for Traffic Proximity and Volume	6	5	4
EJ Index for Lead Paint Indicator	10	8	27
EJ Index for Superfund Proximity	10	10	24
EJ Index for RMP Proximity	20	21	38
EJ Index for Hazardous Waste Proximity	24	24	38
EJ Index for Wastewater Discharge Indicator	N/A	68	74




This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

0.125 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 308

Input Area (sq. miles): 0.05



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

EJSCREEN Report (Version 2019)

0.125 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 308

Input Area (sq. miles): 0.05

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu\text{g}/\text{m}^3$)	5.81	9.78	2	9.21	5	8.3	5
Ozone (ppb)	32	48.2	9	48.9	7	43	5
NATA* Diesel PM ($\mu\text{g}/\text{m}^3$)	0.221	0.468	17	0.479	<50th	0.479	<50th
NATA* Cancer Risk (lifetime risk per million)	29	36	23	35	<50th	32	<50th
NATA* Respiratory Hazard Index	0.47	0.55	30	0.53	<50th	0.44	60-70th
Traffic Proximity and Volume (daily traffic count/distance to road)	1800	2000	66	1700	72	750	89
Lead Paint Indicator (% Pre-1960 Housing)	0.23	0.29	52	0.24	60	0.28	55
Superfund Proximity (site count/km distance)	0.11	0.18	59	0.15	65	0.13	68
RMP Proximity (facility count/km distance)	0.2	1.1	22	0.99	28	0.74	38
Hazardous Waste Proximity (facility count/km distance)	0.21	3.4	17	2.9	22	4	37
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0	17	N/A	31	54	14	37
Demographic Indicators							
Demographic Index	12%	48%	2	47%	2	36%	12
Minority Population	12%	62%	2	59%	3	39%	25
Low Income Population	12%	34%	17	34%	16	33%	17
Linguistically Isolated Population	3%	9%	32	8%	37	4%	63
Population With Less Than High School Education	5%	18%	23	17%	24	13%	28
Population Under 5 years of age	6%	6%	54	6%	54	6%	57
Population over 64 years of age	18%	13%	76	14%	75	15%	69

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: <https://www.epa.gov/national-air-toxics-assessment>.

For additional information, see: www.epa.gov/environmentaljustice


EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

1 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 20,947

Input Area (sq. miles): 3.14

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	32	35	58
EJ Index for Ozone	32	35	58
EJ Index for NATA* Diesel PM	32	34	58
EJ Index for NATA* Air Toxics Cancer Risk	32	34	58
EJ Index for NATA* Respiratory Hazard Index	32	34	58
EJ Index for Traffic Proximity and Volume	22	22	29
EJ Index for Lead Paint Indicator	17	14	39
EJ Index for Superfund Proximity	31	32	56
EJ Index for RMP Proximity	31	33	56
EJ Index for Hazardous Waste Proximity	31	32	54
EJ Index for Wastewater Discharge Indicator	N/A	68	74




This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

1 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 20,947

Input Area (sq. miles): 3.14



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

EJSCREEN Report (Version 2019)



1 miles Ring Centered at 36.976293,-121.984678, CALIFORNIA, EPA Region 9

Approximate Population: 20,947

Input Area (sq. miles): 3.14

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu\text{g}/\text{m}^3$)	5.84	9.78	3	9.21	6	8.3	5
Ozone (ppb)	32.1	48.2	9	48.9	7	43	5
NATA* Diesel PM ($\mu\text{g}/\text{m}^3$)	0.223	0.468	18	0.479	<50th	0.479	<50th
NATA* Cancer Risk (lifetime risk per million)	30	36	23	35	<50th	32	<50th
NATA* Respiratory Hazard Index	0.47	0.55	30	0.53	<50th	0.44	60-70th
Traffic Proximity and Volume (daily traffic count/distance to road)	1500	2000	61	1700	68	750	87
Lead Paint Indicator (% Pre-1960 Housing)	0.22	0.29	51	0.24	59	0.28	54
Superfund Proximity (site count/km distance)	0.11	0.18	59	0.15	65	0.13	68
RMP Proximity (facility count/km distance)	0.19	1.1	22	0.99	28	0.74	37
Hazardous Waste Proximity (facility count/km distance)	0.24	3.4	18	2.9	24	4	39
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0	17	N/A	31	54	14	37
Demographic Indicators							
Demographic Index	35%	48%	31	47%	33	36%	57
Minority Population	39%	62%	23	59%	27	39%	58
Low Income Population	31%	34%	51	34%	51	33%	52
Linguistically Isolated Population	6%	9%	47	8%	52	4%	75
Population With Less Than High School Education	13%	18%	48	17%	51	13%	61
Population Under 5 years of age	5%	6%	40	6%	40	6%	44
Population over 64 years of age	14%	13%	62	14%	61	15%	52

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: <https://www.epa.gov/national-air-toxics-assessment>.

For additional information, see: www.epa.gov/environmentaljustice

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.